REFERENCE	DESIGNATION	Public Price 2020
	Boîtier ACTEON 5000	
PF-FIX-C-00085	**TRANSMITTER MULTIPARAMETERS DIGITAL TECHNOLOGY : ACTEON 5000.** Digital transmitter for 2 sensor's connexion compatible with the range of the digital sensors PONSEL (OPTOD, C4E, NTU, PHEHT, EHAN, CTZN, MES5, VB5): - 2 Digital sensor, - Power supply 100-240 V, - 2 outputs 4-20 mA, - 2 relays, - Modbus RS485 output, - Ethernet Output, - Sensor atmospheric pressure integrated (compensation for the parameter oxygen)	$1,677.00
PF-FIX-C-00088	**TRANSMITTER MULTIPARAMETERS DIGITAL TECHNOLOGY : ACTEON 5000**. option power supply 12-24 V Digital transmitter for 2 sensor's connexion compatible with the range of the digital sensors PONSEL (OPTOD, C4E, NTU, PHEHT, EHAN, CTZN, MES5, VB5): - 2 Digital sensor, - Power supply 100-240 V, - 2 outputs 4-20 mA, - 2 relays, - Modbus RS485 output, - Ethernet Output, - Sensor atmospheric pressure integrated (compensation for the parameter oxygen mg / L)	$1,677.00
	KIT ACTEON 5000 with sensor	
	Sensor with 7 M	
NC-FIX-C-00249	ACTEON 5000 KIT STACSENSE Op path 2 mm 7 M Digital transmitter dual-parameter with STACSENSE PROBE UV254 DCO/DBO/COT Optical path 2 mm with 7 m cable. Containing: - 1 ACTEON 5000 Transmitter digital dual sensors - 1 STACSENSE Opt path 2 mm with 7m cable	$8,794.50
NC-FIX-C-00250	ACTEON 5000 KIT STACSENSE Op path 50 mm 7 M Digital transmitter dual-parameter with STACSENSE PROBE UV254 DCO/DBO/COT Optical path 50 mm with 7 m cable. Containing: - 1 ACTEON 5000 Transmitter digital dual sensors - 1 STACSENSE Opt path 20 mm with 7m cable	$8,794.50

NC-FIX-C-00100	ACTEON 5000 KIT PHEHT 7M Digital transmitter dual-parameter with 1 PHEHT sensor with 7 m cable. Containing: - 1 ACTEON 5000 Transmitter digital dual sensors - 1 digital PHEHT sensor with 7 m cable, - 1 buffer solution PH7, - 1buffer tampon PH4, - 1 operating instructions on CD.	$2,694.90
NC-FIX-C-00101	ACTEON 5000 KIT OPTOD 7M Digital transmitter dual-parameter with 1 OPTOD sensor (Optical Oxygen) with 7 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital OPTOD sensor with 7 m cable, - 1 Operating instructions on CD.	$2,732.60
NC-FIX-C-00120	ACTEON 5000 KIT OPTOD TITANIUM 7M Digital transmitter dual-parameter with 1 OPTOD sensor (Optical Oxygen) with 7 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital OPTOD TITANIUM sensor with 7 m cable, - 1 Operating instructions on CD.	$2,917.20
NC-FIX-C-00102	ACTEON 5000 KIT C4E 7M Digital transmitter dual-parameter with 1 C4E sensor (Conductivity) with 7 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 7 m cable - 1 buffer tampon 84 µS/cm, - 1 buffer tampon 1413 µS/cm, - 1 Operating instructions on CD.	$2,501.20
NC-FIX-C-00103	ACTEON 5000 KIT NTU 7M Digital transmitter dual-parameter with 1 NTU sensor (Turbidity) with 7 m cable Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital NTU sensor with 7 m cable, - 1 Formazine solution at 4000 NTU, - 1 Operating instructions on CD.	$3,452.80

NC-FIX-C-00104	ACTEON 5000 KIT CTZN 7M Digital transmitter dual-parameter with 1 CTZN sensor (induction conductivity) with 7 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZN sensor with 7 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12 880 µS/cm, - 1 Operating instructions on CD.	$2,944.50
NC-FIX-C-00163	ACTEON 5000 EHAN 7M Digital transmitter dual-parameter with 1 EHAN sensor (annular ORP) with 7 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital EHAN sensor with 7 m cable, - 1 buffer solution 240 mV - 1 Operating instructions on CD.	$2,787.20
NC-FIX-C-00253	ACTEON 5000 KIT MES5 7M Digital transmitter dual-parameter with 1 MES5 sensor (TSS) with 7 m cable Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital MES5 sensor with 7 m cable, - 1 Formazine solution at 4000 NTU,	$3,884.40
NC-FIX-C-00254	ACTEON 5000 KIT VB5 7M Digital transmitter dual-parameter with 1 VB5 sensor (TSS) with 7 m cable Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital VB5 sensor with 7 m cable,	$3,043.30
NC-FIX-C-00105	ACTEON 5000 KIT PHEHT 7M / PHEHT 7 M Digital transmitter with 2 PHEHT sensors 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital PHEHT sensors with 7 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 Operating instructions on CD.	$3,712.80

NC-FIX-C-00106	ACTEON 5000 KIT PHEHT 7M /OPTOD 7 M Digital Transmitter dual-parameter with 1 PHEHT sensor and OPTOD OPTOD sensor 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 7 m cable, - 1 digital OPTOD sensor with 7 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 Operating instructions on CD	$3,750.50
NC-FIX-C-00107	ACTEON 5000 PHEHT 7M / C4E 7 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 C4E (Conductivity) sensor 7 m cable. Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 7m cable, - 1 digital C4E sensor with 7 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, - 1 Operating instructions on CD.	$3,519.10
NC-FIX-C-00108	ACTEON 5000 KIT PHEHT 7M / NTU 7 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 NTU (Turbidity) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 7 m cable, - 1 digital NTU sensor with 7 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, -1 Formazine solution 4000 NTU, -1 Operating instructions on CD.	$4,470.70

NC-FIX-C-00109	ACTEON 5000 KIT PHEHT 7M / CTZN 7 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 CTZN (Induction conductivity) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 7 m cable, - 1 digital CTZN sensor with 7 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 buffer solution conductivity 1413 µS/cm, - 1 buffer solution conductivity 12880 µS/cm, -1 Operating instructions on CD.	$3,962.40
NC-FIX-C-00110	ACTEON 5000 KIT OPTOD 7M /OPTOD 7 M Digital Transmitter dual-parameter with 2 OPTOD sensor (Optical oxygen) with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital OPTOD sensors with 7 m cable, - 1 Operating instructions on CD.	$3,788.20
NC-FIX-C-00111	ACTEON 5000 KIT OPTOD 7M / C4E 7 M Digital Transmitter dual-parameter with 1 C4E (Conductivity) sensor et 1 OPTOD (Optical oxygen) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 7 m cable, - 1 digital OPTOD sensor with 7 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 84 µS/cm, - 1 Operating instructions on CD.	$3,556.80
NC-FIX-C-00112	ACTEON 5000 KIT OPTOD 7M / NTU 7 M Digital Transmitter dual-parameter with 1 NTU (Turbidity) sensor and 1 OPTOD (Optical oxygen) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital NTU sensor with 7 m cable, - 1 digital OPTOD sensor with 7 m cable, - 1 Operating instructions on CD.	$4,508.40

NC-FIX-C-00113	ACTEON 5000 KIT OPTOD 7M / CTZN 7 M Digital Transmitter dual-parameter with 1 CTZN (Induction conductivity) sensor and 1 OPTOD (Optical oxygen) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZN sensor with 7 m cable, - 1 digital OPTOD sensor with 7 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, - 1 Operating instructions on CD.	$4,000.10
NC-FIX-C-00114	ACTEON 5000 KIT C4E 7M / C4E 7 M Digital Transmitter dual-parameter with 2 C4E (Conductivity) sensors with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital C4E sensors with 7 m cable, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, - 1 Operating instructions on CD.	$3,325.40
NC-FIX-C-00115	ACTEON 5000 KIT C4E 7M / NTU 7 M Digital Transmitter dual-parameter with 1 C4E (Conductivity) sensor and 1 NTU (Turbidity) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 7 m cable, - 1 digital NTU sensor with 7 m cable, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, -1 Formazine solution 4000 NTU, -1 Operating instructions on CD.	$4,277.00
NC-FIX-C-00116	ACTEON 5000 KIT NTU 7M / NTU 7 M Digital Transmitter dual-parameter with 2 NTU (Turbidity) sensors with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital NTU sensors with 7 m cable, - 1 Formazine solution 4000 NTU - 1 Operating instructions on CD.	$5,228.60

NC-FIX-C-00117	ACTEON 5000 KIT CTZN 7M / NTU 7 M Digital Transmitter dual-parameter with 1 CTZN (Induction conductivity) sensor and 1 NTU (Turbidity) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZ sensor with 7 m cable, - 1digital NTU sensor with 7 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, -1 Formazine solution 4000 NTU, -1 Operating instructions on CD.	$4,720.30
NC-FIX-C-00118	ACTEON 5000 KIT CTZN 7M / CTZN 7 M Digital Transmitter dual-parameter with 2 CTZN (Induction conductivity) sensor with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital CTZN sensors with 7 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, - 1 Operating instructions on CD.	$4,212.00
NC-FIX-C-00121	ACTEON 5000 KIT TITANIUM OPTOD 7M /TITANIUM OPTOD 7 M Digital Transmitter dual-parameter with 2 OPTOD (Optical Oxygen) sensors in TITANIUM with 7 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital OPTOD sensor in TITANIUM with 7 m cable, - 1 Operating instructions on CD.	$4,157.40

Sensors with 15 M		
NC-FIX-C-00251	ACTEON 5000 KIT STACSENSE Op path 2 mm 15 M Digital transmitter dual-parameter with STACSENSE PROBE UV254 DCO/DBO/COT Optical path 2 mm with 15 m cable. Containing: - 1 ACTEON 5000 Transmitter digital dual sensors - 1 STACSENSE Opt path 2 mm with 15m cable	$8,814.00

NC-FIX-C-00252	ACTEON 5000 KIT STACSENSE Op path 50 mm 15 M Digital transmitter dual-parameter with STACSENSE PROBE UV254 DCO/DBO/COT Optical path 50 mm with 15 m cable. Containing: - 1 ACTEON 5000 Transmitter digital dual sensors - 1 STACSENSE Opt path 20 mm with 15m cable	$8,814.00
NC-FIX-C-00122	ACTEON 5000 KIT PHEHT 15M Digital Transmitter dual-parameter with 1 PHEHT sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 15 m cable, - 1 buffer solution PH7, - 1 buffer tampon PH4, - 1 Operating instructions on CD.	$2,709.20
NC-FIX-C-00123	ACTEON 5000 KIT OPTOD 15M Digital Transmitter dual-parameter with 1 OPTOD (Optical oxygen) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital OPTOD sensor with 15 m cable, - 1 Operating instructions on CD.	$2,750.80
NC-FIX-C-00141	ACTEON 5000 KIT TITANIUM OPTOD 15M Digital Transmitter dual-parameter with 1 TITANIUM OPTOD (Optical oxygen) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital OPTOD sensor in TITANIUM with 15 m cable, - 1 Operating instructions on CD.	$2,935.40
NC-FIX-C-00124	ACTEON 5000 KIT C4E 15M Digital Transmitter dual-parameter with 1 C4E (Conductivity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 15 m cable, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, - 1 Operating instructions on CD.	$2,514.20

NC-FIX-C-00125	ACTEON 5000 KIT NTU 15M Digital Transmitter dual-parameter with 1 NTU (Turbidity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital NTU sensor with 15 m cable, - 1 Formazine solution at 4000 NTU, - 1 Operating instructions on CD.	$3,465.80
NC-FIX-C-00126	ACTEON 5000 KIT CTZN 15M Digital Transmitter dual-parameter with 1 CTZN (Induction conductivity) sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZN sensors with 15 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, - 1 Operating instructions on CD.	$2,962.70
NC-FIX-C-00164	ACTEON 5000 EHAN 15M Digital Transmitter dual-parameter with 1 EHAN (ORP annular) sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital EHAN sensors with 15 m cable, - 1 buffer solution 240 mV - 1 Operating instructions on CD.	$2,801.50
NC-FIX-C-00255	ACTEON 5000 KIT MES5 15M Digital transmitter dual-parameter with 1 MES5 sensor (TSS) with 7 m cable Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital MES5 sensor with 15 m cable, - 1 Formazine solution at 4000 NTU,	$3,901.30
NC-FIX-C-00256	ACTEON 5000 KIT VB5 15M Digital transmitter dual-parameter with 1 VB5 sensor (TSS) with 15 m cable Containing : - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital VB5 sensor with 15 m cable,	$3,060.20

NC-FIX-C-00127	ACTEON 5000 KIT PHEHT 15M / PHEHT 15 M Digital Transmitter dual-parameter with 2 PHEHT sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital PHEHT sensors with 15 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 Operating instructions on CD.	$3,741.40
NC-FIX-C-00128	ACTEON 5000 KIT PHEHT 15M /OPTOD 15 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 OPTOD sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 15 m cable, - 1 digital OPTOD sensor with 15 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 Operating instructions on CD.	$3,783.00
NC-FIX-C-00129	ACTEON 5000 KIT PHEHT 15M / C4E 15M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 C4E (Conuctivity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 15 m cable, - 1 digital C4E sensor with 15 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, -1 Operating instructions on CD.	$3,546.40

NC-FIX-C-00130	ACTEON 5000 KIT PHEHT 15M / NTU 15 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 NTU (Turbidity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 15 m cable, - 1 digital NTU sensor with 15 m cable, - 1 buffer solution PH4, - 1 buffer solution PH7, -1 Formazine solution 4000 NTU, -1 Operating instructions on CD.	$4,498.00
NC-FIX-C-00131	ACTEON 5000 KIT PHEHT 15 M / CTZN 15 M Digital Transmitter dual-parameter with 1 PHEHT sensor and 1 CTZN (Induction conductivity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital PHEHT sensor with 15 m cable, - 1 digital CTZN sensor with 15 m cable, - 1 buffer solution PH, - 1 buffer solution PH7, - 1 buffer solution conductivity 1413 µS/cm, - 1 buffer solution conductivity 12880 µS/cm, - 1 Operating instructions on CD.	$3,994.90
NC-FIX-C-00132	ACTEON 5000 KIT OPTOD 15 M /OPTOD 15 M Digital Transmitter dual-parameter with 2 OPTOD (Optical oxygen) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital OPTOD sensors with 15 m cable, - 1 Operating instructions on CD.	$3,824.60

NC-FIX-C-00133	ACTEON 5000 KIT OPTOD 15M / C4E 15 M Digital Transmitter dual-parameter with 1 C4E (Conductivity) sensor and 1 OPTOD (Optical oxygen) sensor with 15 cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 15 m cable, - 1 digital OPTOD sensor with 15 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 84 µS/cm, - 1 Operating instructions on CD.	$3,588.00
NC-FIX-C-00134	ACTEON 5000 KIT OPTOD 15 M / NTU 15 M Digital Transmitter dual-parameter with 1 NTU (Turbidity) sensor and 1 OPTOD (Optical oxygen) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital NTU sensor with 15 m cable, - 1 digital OPTOD sensor with 15 m cable, - 1 Operating instructions on CD.	$4,539.60
NC-FIX-C-00135	ACTEON 5000 KIT OPTOD 15M / CTZN 15 M Digital Transmitter dual-parameter with 1 CTZN (Induction conductivity) sensor and 1 OPTOD (Optical oxygen) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZN sensor with 15 m cable, - 1 digital OPTOD sensor with 15 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, - 1 Operating instructions on CD.	$4,036.50
NC-FIX-C-00136	ACTEON 5000 KIT C4E 15M / C4E 15 M Digital Transmitter dual-parameter with 2 capteurs C4E (Conductivity) sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital C4E sensors with 15 m cable, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, - 1 Operating instructions on CD.	$3,351.40

NC-FIX-C-00137	ACTEON 5000 KIT C4E 15M / NTU 15 M Digital Transmitter dual-parameter with 1 C4E (Conductivity) sensor and 1 NTU (Turbidity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital C4E sensor with 15 m cable, - 1 digital NTU sensor with 15 cable, - 1 buffer solution 84 µS/cm, - 1 buffer solution 1413 µS/cm, - 1 Formazine solution 4000 NTU, - 1 Operating instructions on CD.	$4,303.00
NC-FIX-C-00138	ACTEON 5000 KIT NTU 15M / NTU 15 M Digital Transmitter dual-parameter with 2 NTU (Turbidity) sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital NTU sensors with 15 m cable, - 1 Formazine solution 4000 NTU - 1 Operating instructions on CD.	$5,254.60
NC-FIX-C-00139	ACTEON 5000 KIT CTZN 15M / NTU 15M Digital Transmitter dual-parameter with 1 CTZN (Induction conductivity) sensor and 1 NTU (Turbidity) sensor with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 1 digital CTZ sensor with 15 m cable, - 1 digital NTU sensor with 15 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, -1 Formazine solution 4000 NTU, -1 Operating instructions on CD.	$4,751.50
NC-FIX-C-00140	ACTEON 5000 KIT CTZN 15M / CTZN 15M Digital Transmitter dual-parameter with 2 CTZN (Induction conductivity) sensors with 15 m cable. Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital CTZN sensors with 15 m cable, - 1 buffer solution 1413 µS/cm, - 1 buffer solution 12880 µS/cm, - 1 Operating instructions on CD.	$4,248.40

NC-FIX-C-00142	ACTEON 5000 KIT TITANIUM OPTOD 15M /TITANIUM OPTOD 15 M Digital Transmitter dual-parameter with 2 TITANIUM OPTOD (Optical oxygen) sensors with 15 m cable Containing: - 1 ACTEON 5000 transmitter digital bi-sensors, - 2 digital OPTOD sensor in TITANIUM with 15 m cable, - 1 Operating instructions on CD.	$4,193.80